



0300

Attorney Docket No.: 18704-018 #6

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2661

Application of : Yechiam YEMINI, et al.
Serial No. : 09/775,346
Filed : February 1, 2001
Title : METHOD AND APPARATUS FOR
THE EXCHANGE OF DATA ...

COMMUNICATION

Assistant Commissioner for Patents
Initial Patent Examination Division
Washington, D.C. 20231

I hereby certify that this paper is being deposited this date with the U.S. Postal Service as first class mail addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


August 29, 2001

Sir:

On August 27, 2001, the U.S. Patent and Trademark Office issued a Notice of Incomplete Reply with regards to the above-identified nonprovisional patent application. A copy of the Notice is enclosed with this communication. The Notice states that the applicant's reply to the March 13, 2001 Notice to File Missing Parts did not include Substitute drawings in compliance with 37 CFR 1.84.

In response, the applicants enclose herewith 5 sheets of Formal Drawings in compliance with 37 CFR 1.84 and the Petition for Extension of Time.

Respectfully submitted,
PROSKAUER ROSE LLP

By 
Gregg I. Goldman
Reg. No. 38,896

Date: August 29, 2001

PROSKAUER ROSE LLP
1585 Broadway
New York, NY 10036
Telephone: (212) 969-3000



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/775,346	02/01/2001	Yechiam Yemini	18704-018

CONFIRMATION NO. 7198

FORMALITIES LETTER



OC000000006477600

Proskauer Rose LLP
Patent Department
1585 Broadway
New York, NY 10036

Date Mailed: 08/27/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY